L Number	Hits	Search Text	DB	Time stamp
1	1112	((709/312,328) or (717/162,100)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/28 12:08
3	46	(((709/312,328) or (717/162,100)).CCLS.) and ((operating adj system) near8 compatib\$7) and (@ad<=19990901 or @rlad<=19990901)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/28 12:11
5	20	((((709/312,328) or (717/162,100)).CCLS.) and ((operating adj system) near8 compatib\$7) and (@ad<=19990901 or @rlad<=19990901)) not (((US-6393495-\$ or US-6289396-\$ or US-6158001-\$ or US-5815714-\$ or US-5274815-\$ or US-6282701-\$ or US-5940618-\$ or US-5938778-\$ or US-5533192-\$ or US-5526485-\$ or US-5533192-\$ or US-5526485-\$ or US-5450586-\$ or US-639454-\$ or US-6430741-\$ or US-6035426-\$ or US-6164841-\$ or US-6035426-\$ or US-6144698-\$ or US-6334213-\$ or US-6141698-\$ or US-6351843-\$).did.).p53-p121. or ((US-6263489-\$ or US-6219782-\$ or US-677311-\$ or US-6077311-\$ or US-6077311-\$ or US-6077311-\$ or US-6077311-\$ or US-61411-\$ or US-5953534-\$ or US-5701411-\$ or US-5953534-\$ or US-5701411-\$ or US-697311-\$ or US-6077311. or ((US-20020073398-\$).did.).p122-p131.) ((((709/312,328) or (717/162,100)).CCLS.) and ((operating adj system) near8 compatib\$7) and (@ad<=19990901 or @rlad<=19990901)) not ((US-6393495-\$ or US-6289396-\$ or US-6158001-\$ or US-5815714-\$ or US-5274815-\$ or US-6282701-\$ or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 12:12 2003/10/28 12:12
-	18064975	US-5940618-\$ or US-5938778-\$ or US-5771385-\$ or US-5581697-\$ or US-5533192-\$ or US-5526485-\$ or US-5450586-\$ or US-5394544-\$ or US-5335344-\$ or US-6490721-\$ or US-6164841-\$ or US-6035426-\$ or US-6430741-\$ or US-6334213-\$ or US-6141698-\$ or US-5675803-\$ or US-5121501-\$ or US-6351843-\$).did.).p53-p121. or ((US-6263489-\$ or US-6219782-\$ or US-5815722-\$ or US-5701411-\$ or US-5953534-\$ or US-5548759-\$ or US-6418555-\$).did.).p53-p121. or ((US-20020073398-\$).did.).p122-p131.)) and 717/\$ @ad<=19990901 or @rlfd<=19990901 (compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/28 09:15 2003/01/03 11:14

-	28189	(attribut\$3 near7 (identify\$4 or set\$4 or	USPAT;	2003/01/03
		determin\$4 or match\$4 or associat\$4))	US-PGPUB;	11:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	39	(monitor\$4 near5 (debug\$5 near3	USPAT;	2003/01/02
		application))	US-PGPUB;	13:42
			EPO; JPO;	
		* '	DERWENT;	
			IBM TDB	
-	34274	(upgrad\$4 or patch\$4 or updat\$4 or	USPĀT;	2003/01/02
		debug\$4) near7 (application or DLL or	US-PGPUB;	13:50
		API or software or code)	EPO; JPO;	120,00
		THE OF BOTOMATO OF GOAC,	DERWENT;	
			IBM TDB	
l _	23975	((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/04
-	239/5	((upgrad34 or patch34 or updat34 or debug\$4) near7 (application or DLL or	US-PGPUB;	13:31
				13:31
		API or software or code)) and	EPO; JPO;	
		(@ad<=19990901 or @rlfd<=19990901)	DERWENT;	
			IBM_TDB	
-	8643	((breakpoint\$1 or tag\$4) same (debug\$5 or	USPAT;	2003/01/02
		test\$4))	US-PGPUB;	13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	931	(((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/02
		debug\$4) near7 (application or DLL or	US-PGPUB;	13:58
		API or software or code)) and	EPO; JPO;	
		(@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	
		(((breakpoint\$1 or tag\$4) same (debug\$5	IBM TDB	
		or test\$4)))		
_	231	((compatib\$6 near5 (check\$4 or validat\$	USPAT;	2003/01/02
	231	or verify\$4 or match\$4))) and	US-PGPUB;	13:58
		((attribut\$3 near7 (identify\$4 or set\$4	EPO; JPO;	10.00
		or determin\$4 or match\$4 or associat\$4)))	DERWENT;	
		or decerminal or maccusa or apportactall)	IBM TDB	
	166	//test on bushle on suit on suiting?	USPAT;	2003/01/02
_	100			
		point\$1) near8 (handler\$1 or debugger or	US-PGPUB;	14:11
		patch\$4)	EPO; JPO;	1
		,	DERWENT;	
			IBM_TDB	
-	778	((multi or cross or plurality or	USPAT;	2003/01/02
		dependen\$4) adj3 ((operating adj	US-PGPUB;	14:21
		system\$2) or platform\$1)) and	EPO; JPO;	
		compatibility	DERWENT;	
1			IBM TDB	

-	92 ((((((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/02
	d.	ebug\$4) near7 (application or DLL or	US-PGPUB;	14:27
		PI or software or code)) and	EPO; JPO;	
	(+	@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	
		((breakpoint\$1 or tag\$4) same (debug\$5	IBM TDB	
		r test\$4)))) or (((compatib\$6 near5		
		check\$4 or validat\$ or verify\$4 or		
		atch\$4))) and ((attribut\$3 near7		
		identify\$4 or set\$4 or determin\$4 or	*	
		atch\$4 or associat\$4))))) and ((
		onitor\$4 near5 (debug\$5 near3		
		pplication)))) or (((((upgrad\$4 or		
		atch\$4 or updat\$4 or debug\$4) near7 (
		pplication or DLL or API or software or		
		ode)) and (@ad<=19990901 or		
	@:	rlfd<=19990901)) and (((breakpoint\$1 or		
	t.	ag\$4) same (debug\$5 or test\$4)))) and		
	(((compatib\$6 near5 (check\$4 or validat\$		
		r verify\$4 or match\$4))) and		
		(attribut\$3 near7 (identify\$4 or set\$4		
		r determin\$4 or match\$4 or		
		ssociat\$4))))) and (@ad<=19990901 or		
		rlfd<=19990901)) or ((((compatib\$6 near5		
		check\$4 or validat\$ or verify\$4 or		
	1 .	atch\$4))) and ((attribut\$3 near7		
		identify\$4 or set\$4 or determin\$4 or		
		atch\$4 or associat\$4)))) and		
		((breakpoint\$1 or tag\$4) same (debug\$5		
		r test\$4)))) or ((((breakpoint\$1 or		
		ag\$4) same (debug\$5 or test\$4))) and		
		((test or break or exit or critical)		
		dj2 point\$1) near8 (handler\$1 or		
		ebugger or patch\$4))) or (((compatib\$6		
		ear5 (check\$4 or validat\$ or verify\$4 or		
	m.	atch\$4))) and (((multi or cross or		
	[p]	lurality or dependen\$4) adj3 (•
	(-	operating adj system\$2) or platform\$1))		
	aı	nd compatibility)) or ((((compatib\$6		
		ear5 (check\$4 or validat\$ or verify\$4 or		
		atch\$4))) and (((multi or cross or		
		lurality or dependen\$4) adj3 (
		operating adj system\$2) or platform\$1))		
		nd compatibility)) and ((upgrad\$4 or		1
		atch\$4 or updat\$4 or debug\$4) near7 (
		pplication or DLL or API or software or		
		• •		
		ode))) or (((((upgrad\$4 or patch\$4 or		
		pdat\$4 or debug\$4) near7 (application		
		r DLL or API or software or code)) and		
		@ad<=19990901 or @rlfd<=19990901)) and		
		((breakpoint\$1 or tag\$4) same (debug\$5		
		r test\$4)))) or (((compatib\$6 near5		
.		check\$4 or validat\$ or verify\$4 or		
		atch\$4))) and ((attribut\$3 near7		
	(:	identify\$4 or set\$4 or determin\$4 or		
	m	atch\$4 or associat\$4))))) and ((
		onitor\$4 near5 (debug\$5 near3		
		pplication))))) and (@ad<=19990901 or		
]		rlfd<=19990901)		
			L	

-	70	(((((((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/02
		debug\$4) near7 (application or DLL or	US-PGPUB;	14:28
		API or software or code)) and	EPO; JPO;	•
		(@ad<=19990901 or @rlfd<=19990901)) and (((breakpoint\$1 or tag\$4) same (debug\$5	DERWENT; IBM TDB	
		or test\$4)))) or (((compatib\$6 near5	1011_100	
		(check\$4 or validat\$ or verify\$4 or		
		match\$4))) and ((attribut\$3 near7		
		(identify\$4 or set\$4 or determin\$4 or		
		match\$4 or associat\$4))))) and ((
		monitor\$4 near5 (debug\$5 near3		
		application)))) or (((((upgrad\$4 or		
		patch\$4 or updat\$4 or debug\$4) near7 (
		application or DLL or API or software or		
		code)) and (@ad<=19990901 or		
		@rlfd<=19990901)) and (((breakpoint\$1 or		
		tag\$4) same (debug\$5 or test\$4)))) and		
•		<pre>(((compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4))) and</pre>		
		((attribut\$3 near7 (identify\$4 or set\$4		[
		or determin\$4 or match\$4 or		
		associat\$4))))) and (@ad<=19990901 or		
		@rlfd<=19990901)) or (((compatib\$6 near5		
		(check\$4 or validat\$ or verify\$4 or		
		match\$4))) and ((attribut\$3 near7		
		(identify\$4 or set\$4 or determin\$4 or		
1		match\$4 or associat\$4)))) and		
		(((breakpoint\$1 or tag\$4) same (debug\$5		
		or test\$4)))) or (((breakpoint\$1 or		
		tag\$4) same (debug\$5 or test\$4))) and		
		(((test or break or exit or critical)		
		adj2 point\$1) near8 (handler\$1 or debugger or patch\$4))) or (((compatib\$6		
		near5 (check\$4 or validat\$ or verify\$4 or		
		match\$4))) and (((multi or cross or		
		plurality or dependen\$4) adj3 (
		(operating adj system\$2) or platform\$1))	,	
		and compatibility)) or (((compatib\$6		
		near5 (check\$4 or validat\$ or verify\$4 or		
		match\$4))) and (((multi or cross or		
		plurality or dependen\$4) adj3 (
		(operating adj system\$2) or platform\$1))		
		and compatibility)) and ((upgrad\$4 or		
		patch\$4 or updat\$4 or debug\$4) near7 (
		application or DLL or API or software or		
		code))) or ((((((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application		
		or DLL or API or software or code)) and		
		(@ad<=19990901 or @rlfd<=19990901)) and		
		(((breakpoint\$1 or tag\$4) same (debug\$5		
		or test\$4)))) or (((compatib\$6 near5		
		(check\$4 or validat\$ or verify\$4 or		
		match\$4))) and ((attribut\$3 near7		
		(identify\$4 or set\$4 or determin\$4 or		
		match\$4 or associat\$4))))) and ((
		monitor\$4 near5 (debug\$5 near3		
		application))))) and (@ad<=19990901 or		
		@rlfd<=19990901)) and ((upgrad\$4 or		
		patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or API or software or		
		code))		
_	106424	1 ' '	USPAT;	2003/01/02
		(software or application or code)	US-PGPUB;	14:31
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	1
-	41	1 1	USPAT;	2003/01/02
		(software or application or code)) and	US-PGPUB;	14:37
	1	(((test or break or exit or critical)	EPO; JPO;	
		adj2 point\$1) near8 (handler\$1 or	DERWENT;	
	L	debugger or patch\$4))	IBM TDB	

- 32	//////////////////////////////////////	IICDAM.	2002/01/02
	<pre>((((((((((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or</pre>	USPAT; US-PGPUB;	2003/01/02 14:44
· 1	API or software or code)) and	EPO; JPO;	11.11
1	(@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	
	(((breakpoint\$1 or tag\$4) same (debug\$5	IBM TDB	
	or test\$4)))) or (((compatib\$6 near5		i
	(check\$4 or validat\$ or verify\$4 or		
	match\$4))) and ((attribut\$3 near7		
9	(identify\$4 or set\$4 or determin\$4 or		
	<pre>match\$4 or associat\$4))))) and ((</pre>		
	monitor\$4 near5 (debug\$5 near3		
	application)))) or (((((upgrad\$4 or		
	patch\$4 or updat\$4 or debug\$4) near7 (
	application or DLL or API or software or		
	code)) and (@ad<=19990901 or		
	@rlfd<=19990901)) and (((breakpoint\$1 or	0	
	tag\$4) same (debug\$5 or test\$4)))) and		
	(((compatib\$6 near5 (check\$4 or validat\$		
Ţ	or verify\$4 or match\$4))) and		
l l	((attribut\$3 near7 (identify\$4 or set\$4		
	or determin\$4 or match\$4 or		
	associat\$4))))) and (@ad<=19990901 or		
	@rlfd<=19990901)) or ((((compatib\$6 near5		
<u> </u>	(check\$4 or validat\$ or verify\$4 or		
	<pre>match\$4))) and ((attribut\$3 near7</pre>		
	(identify\$4 or set\$4 or determin\$4 or		
	<pre>match\$4 or associat\$4)))) and</pre>		
	(((breakpoint\$1 or tag\$4) same (debug\$5		
	or test\$4)))) or (((breakpoint\$1 or		
	tag\$4) same (debug\$5 or test\$4))) and		1
ļ .	(((test or break or exit or critical)		
ļ.	adj2 point\$1) near8 (handler\$1 or		
	debugger or patch\$4))) or (((compatib\$6		
	near5 (check\$4 or validat\$ or verify\$4 or		
	match\$4))) and (((multi or cross or		
	plurality or dependen\$4) adj3 (
	(operating adj system\$2) or platform\$1))		
	and compatibility)) or (((compatib\$6		
	near5 (check\$4 or validat\$ or verify\$4 or		
,	match\$4))) and (((multi or cross or		
,	plurality or dependen\$4) adj3 (li li
,	(operating adj system\$2) or platform\$1))		
,	and compatibility)) and ((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (
,	application or DLL or API or software or		
,	code))) or ((((((upgrad\$4 or patch\$4 or		
į į	updat\$4 or debug\$4) near7 (application		
	or DLL or API or software or code)) and		
,	(@ad<=19990901 or @rlfd<=19990901)) and		1
,	(((breakpoint\$1 or tag\$4) same (debug\$5		
, 1	or test\$4)))) or (((compatib\$6 near5		
	(check\$4 or validat\$ or verify\$4 or		
	match\$4))) and ((attribut\$3 near7		
	(identify\$4 or set\$4 or determin\$4 or		
	match\$4 or associat\$4))))) and ((
[monitor\$4 near5 (debug\$5 near3		
<u> </u>	application))))) and (@ad<=19990901 or		
<u> </u>	@rlfd<=19990901)) and ((upgrad\$4 or		
·	patch\$4 or updat\$4 or debug\$4) near7 (
	application or DLL or API or software or		
	code))) and ((compatib\$6 near5 (check\$4		
	or validat\$ or verify\$4 or match\$4)))) or		
	((((patch\$4 or chang\$4 or upgrad\$4) near7		
	(software or application or code)) and		
[(((test or break or exit or critical)		
ļ ·	adj2 point\$1) near8 (handler\$1 or		
<u> </u>	debugger or patch\$4))) and		
	((((((((upgrad\$4 or patch\$4 or updat\$4		
	or debug\$4) near7 (application or DLL or		
	API or software or code)) and		
	(@ad<=19990901 or @rlfd<=19990901)) and		
<u> </u>	(((breakpoint\$1 or tag\$4) same (debug\$5		
Search History 1	o <u>victest\$4)}}) </u>		
	TORRESTER OF VILLAGIES OF MAYIEUS/ OF	I	1
	matche(1)) and ((attribute2 many		
	match\$4))) and ((attribut\$3 near7 a¢ėd \n85f\$51 20wspet\$4 or determin\$4 or		

•

-	38	((trace near4 (hooks or code or subroutine\$1 or DLL\$1)) near4 (load\$4 or insert\$4 or install\$4 or plac\$4)) and (debug\$4 or patch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 15:13
-	196	(exit adj3 point\$1) and patch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/02 15:17
-	61	<pre>((exit adj3 point\$1) and patch\$4) and ((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or API or software or code))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/02 15:17
-	53	<pre>(((exit adj3 point\$1) and patch\$4) and ((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or API or software or code))) and ((patch\$4 or chang\$4 or upgrad\$4) near7 (software or application or code))</pre>	USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 15:18
-	5	((((exit adj3 point\$1) and patch\$4) and ((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or API or software or code))) and ((patch\$4 or chang\$4 or upgrad\$4) near7 (software or application or code))) and ((trace near4 (hooks or code or subroutine\$1 or DLL\$1)) near4 (load\$4 or insert\$4 or install\$4 or plac\$4)) and (debug\$4 or patch\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 15:18
	40	("4503495" "4511960" "4598364" "4782461" "5121489" "5193180" "5265254" "5297274" "53353344" "5347649" "5386522" "5386565" "5394544" "5408650" "5410685" "5421009" "5446876" "5450586" "5465258" "5481740" "5526485" "5533192" "5551037" "5581697" "5590354" "5612898" "5615331" "5632032" "5642478" "5657438" "5740355" "5771385" "5867643" "5993718" "5928369" "5938778" "5940618" "5983366" "6003143"	USPAT	2003/01/02 15:22
-	16	5581697.URPN.	USPAT	2003/01/03 08:15
-	16	5581697.URPN.	USPAT	2003/01/03 08:24
-	50	5335344.URPN.	USPAT	2003/01/03
-	50	5335344.URPN.	USPAT	2003/01/03 08:49
-	4	tinker.inv. and patch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:08
-	3468	((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:10
-	18064975	@ad<=19990901 or @rlfd<=19990901	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:11

_	2198	(((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)) and (@ad<=19990901 or @rlfd<=19990901)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/03 11:11
_	3177	(compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/03 11:15
_	28189	(attribut\$3 near7 (identify\$4 or set\$4 or determin\$4 or match\$4 or associat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/04 15:05
	14	((US-6393495-\$ or US-6158001-\$ or US-5815714-\$ or US-5274815-\$ or US-6282701-\$ or US-5940618-\$ or US-5938778-\$ or US-5771385-\$ or US-5581697-\$ or US-5526485-\$ or US-5533192-\$ or US-5450586-\$ or US-5394544-\$ or US-6490721-\$ or US-6035426-\$ or US-5335344-\$ or US-6334213-\$ or US-6141698-\$ or US-5675803-\$ or US-5619698-\$ or US-5951639-\$ or US-6487723-\$).did. or (US-20020073398-\$).did.) and debugger	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 13:52
	8	(((US-6393495-\$ or US-6158001-\$ or US-5815714-\$ or US-5274815-\$ or US-6282701-\$ or US-5940618-\$ or US-5938778-\$ or US-5771385-\$ or US-5581697-\$ or US-5526485-\$ or US-5533192-\$ or US-5450586-\$ or US-5394544-\$ or US-6490721-\$ or US-6035426-\$ or US-5335344-\$ or US-6334213-\$ or US-6141698-\$ or US-5675803-\$ or US-5619698-\$ or US-5951639-\$ or US-6487723-\$).did. or (US-20020073398-\$).did.) and debugger) and patch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 13:53
_	6	("4802165" "4845615" "5047919" "5103394" "5121501" "5265254").PN.	USPAT	2003/01/03 14:00
_	84	5450586.URPN.	USPAT	2003/01/03 14:09
-	53	<pre>((((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)) and (@ad<=19990901 or @rlfd<=19990901)) and ((compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/04 13:10
-	13	<pre>(((((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)) and (@ad<=19990901 or @rlfd<=19990901)) and ((compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4)))) and (patch\$4 and handler\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/04
_	40	(((((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)) and (@ad<=19990901 or @rlfd<=19990901)) and ((compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4)))) not (((((upgrad\$4 or patch\$4) near7 (software or application or code or executabl\$3)) and (trac\$3 or debugger or handler\$1)) and (@ad<=19990901 or @rlfd<=19990901)) and ((compatib\$6 near5 (check\$4 or validat\$ or verify\$4 or match\$4)))) and (patch\$4 and handler\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/04 13:15

-	2	((match\$4 or identify\$4) near7	USPAT;	2003/01/04
		(incompatib\$5 near3 attribute\$1))	US-PGPUB;	13:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	47	((match\$4 or identify\$4) near7	USPAT;	2003/01/04
		attribute\$1) same (incompatib\$4 or	US-PGPUB;	13:34
*		compatib\$4)	EPO; JPO;	
			DERWENT;	
	23975	//www.adc4 on matched on wadate4 on	IBM_TDB USPAT;	2002/01/04
	23913	((upgrad\$4 or patch\$4 or updat\$4 or debug\$4) near7 (application or DLL or	US-PGPUB;	2003/01/04
		API or software or code)) and	EPO; JPO;	13.31
		(@ad<=19990901 or @rlfd<=19990901)	DERWENT;	
		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	IBM TDB	
l <u>-</u>	3	(((match\$4 or identify\$4) near7	USPAT;	2003/01/04
		attribute\$1) same (incompatib\$4 or	US-PGPUB;	13:31
		compatib\$4)) and (((upgrad\$4 or patch\$4	EPO; JPO;	13.31
		or updat\$4 or debug\$4) near7 (DERWENT;	
		application or DLL or API or software or	IBM TDB	
		code)) and (@ad<=19990901 or		
		@rlfd<=19990901))		
-	2979	(match\$4 or identify\$4 or check\$4 or	USPAT;	2003/01/04
		validat\$4 or verify\$4) near7	US-PGPUB;	15:01
		(incompatib\$4 or compatib\$4)	EPO; JPO;	
1	•	<u> </u>	DERWENT;	
			IBM TDB	
-	210	(((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/04
		debug\$4) near7 (application or DLL or	US-PGPUB;	13:35
j		API or software or code)) and	EPO; JPO;	
		(@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	1
		((match\$4 or identify\$4 or check\$4 or	IBM_TDB	
		validat\$4 or verify\$4) near7		
:		(incompatib\$4 or compatib\$4))		
-	3	((((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/04
1		debug\$4) near7 (application or DLL or	US-PGPUB;	13:37
			TDM_IDR	
_	27		IISPAT:	2003/01/04
	"		•	
			· ·	13.37
			-	
		((break or interrupt or check) adj2		
		point\$1)		
-	22	("5103476" "5193180" "5335344"	USPAT	2003/01/04
		"5375241" "5381547" "5535329"		14:13
		"5539908" "5548759" "5563946"		
1		"5649099" "5659614" "5675645"		
	1	"5689560" "5892904" "5925117"	I	1
		"5953534" "5974549" "5999622" "6027235").PN.		
-	27	point\$1) ("5103476" "5193180" "5335344" "5375241" "5381547" "5535329" "5539908" "5548759" "5563946" "5577120" "5594903" "5604803" "5649099" "5659614" "5675645"	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	1

Page 8

				000000000000000000000000000000000000000
-	2	((US-6490721-\$ or US-6393495-\$ or	USPAT;	2003/01/04
		US-6334213-\$ or US-6282701-\$ or	US-PGPUB;	15:14
İ		US-6158001-\$ or US-6141698-\$ or	EPO; JPO;	
1		US-6035426-\$ or US-5940618-\$ or	DERWENT;	
į		US-5815714-\$ or US-5938778-\$ or	IBM_TDB	
		US-5771385-\$ or US-5675803-\$ or		
		US-5619698-\$ or US-5581697-\$ or		
		US-5533192-\$ or US-5526485-\$ or		
		US-5450586-\$ or US-5394544-\$ or		
		US-5335344-\$ or US-5274815-\$ or		
i		US-5121501-\$ or US-6430741-\$ or		
		US-6351843-\$ or US-6263489-\$ or		
]		US-6219782-\$ or US-6164841-\$).did. or	,	
1		(US-6077311-\$ or US-6067639-\$ or		
		US-5701411-\$ or US-6289396-\$ or		1
		US-5953534-\$ or US-5548759-\$ or		
		US-5951639-\$).did. or		
		(US-20020073398-\$).did.) and ((match\$4 or		
		identify\$4 or check\$4 or validat\$4 or	,	
		verify\$4) near7 (incompatib\$4 or		
	20100	compatib\$4))	110000	2002/01/04
-	28189		USPAT;	2003/01/04
	1	determin\$4 or match\$4 or associat\$4))	US-PGPUB;	15:08
			EPO; JPO;	
	1		DERWENT;	
	_	//TTG C400701 A TTG C000405 A	IBM_TDB	2002/01/04
-	1	((US-6490721-\$ or US-6393495-\$ or	USPAT;	2003/01/04
		US-6334213-\$ or US-6282701-\$ or	US-PGPUB;	15:09
		US-6158001-\$ or US-6141698-\$ or	EPO; JPO;	
		US-6035426-\$ or US-5940618-\$ or	DERWENT;	•
		US-5815714-\$ or US-5938778-\$ or	IBM_TDB	
		US-5771385-\$ or US-5675803-\$ or		
		US-5619698-\$ or US-5581697-\$ or		
		US-5533192-\$ or US-5526485-\$ or		
}		US-5450586-\$ or US-5394544-\$ or		
		US-5335344-\$ or US-5274815-\$ or		
		US-5121501-\$ or US-6430741-\$ or		
		US-6351843-\$ or US-6263489-\$ or		
		US-6219782-\$ or US-6164841-\$).did. or		
		(US-6077311-\$ or US-6067639-\$ or		
		US-5701411-\$ or US-6289396-\$ or US-5953534-\$ or US-5548759-\$ or		
		US-5953534-\$ or US-5548759-\$ or US-5951639-\$).did. or		
		(US-20020073398-\$).did.) and ((attribut\$3		
		near7 (identify\$4 or set\$4 or determin\$4		
		or match\$4 or associat\$4)))		
_	1945	or match\$4 or associat\$4))) (((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/04
_	1943	(((upgrad;4 or patch;4 or updat;4 or debug;4) near7 (application or DLL or	US-PGPUB;	15:09
		API or software or code)) and	EPO; JPO;	13.09
		(@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	
		((attribut\$3 near7 (identify\$4 or set\$4	IBM TDB	
		or determin\$4 or match\$4 or associat\$4))	1011-100	
		or accermina or marchia or appointful)		
_	6	((((upgrad\$4 or patch\$4 or updat\$4 or	USPAT;	2003/01/04
	1	(((\dpgrad; or patch; or dpdat; or or debug\$4) near7 (application or DLL or	US-PGPUB;	15:10
	1	API or software or code)) and	EPO; JPO;	10.10
		(@ad<=19990901 or @rlfd<=19990901)) and	DERWENT;	
		((attribut\$3 near7 (identify\$4 or set\$4	IBM TDB	
		or determin\$4 or match\$4 or associat\$4))	177.7	
		or determin\$4 or match\$4 or associat\$4)))) and (((((upgrad\$4 or patch\$4) near7		
		(software or application or code or		
		executabl\$3)) and (trac\$3 or debugger or		
		handler\$1)) and (@ad<=19990901 or	1	
		drlfd<=19990901)) and ((compatib\$6 near5		
		(check\$4 or validat\$ or verify\$4 or		
		match\$4)))) and (patch\$4 and handler\$1))		
		Imaccital))) and (baccital and namatelol))	I	I .

_	
- 34 (US-6490721-\$ or US-6393495-\$ or USP)	
US-6334213-\$ or US-6282701-\$ or US-1	PGPUB 15:56
US-6158001-\$ or US-6141698-\$ or	
US-6035426-\$ or US-5940618-\$ or	
US-5815714-\$ or US-5938778-\$ or	
US-5771385-\$ or US-5675803-\$ or	
US-5619698-\$ or US-5581697-\$ or	
US-5533192-\$ or US-5526485-\$ or	
Us-5450586-\$ or Us-5394544-\$ or	
Us-5335344-\$ or Us-5274815-\$ or	
US-5121501-\$ or US-6430741-\$ or	
US-6351843-\$ or US-6263489-\$ or	
US-6219782-\$ or US-6164841-\$).did. or	
(US-6077311-\$ or US-6067639-\$ or	
US-5701411-\$ or US-6289396-\$ or	
US-5953534-\$ or US-5548759-\$ or	
US-5951639-\$).did. or	
(US-20020073398-\$).did.	2002/27/24
	PAT; 2003/01/04
	-PGPUB; 16:18
); JPO;
	RWENT;
US-5815714-\$ or US-5938778-\$ or IBM	1_TDB
US-5771385-\$ or US-5675803-\$ or	
US-5619698-\$ or US-5581697-\$ or	
US-5533192-\$ or US-5526485-\$ or	
US-5450586-\$ or US-5394544-\$ or	
US-5335344-\$ or US-5274815-\$ or	
US-5121501-\$ or US-6430741-\$ or	
US-6351843-\$ or US-6263489-\$ or	İ
US-6219782-\$ or US-6164841-\$).did. or	
(US-6077311-\$ or US-6067639-\$ or	
US-5701411-\$ or US-6289396-\$ or	
US-5953534-\$ or US-5548759-\$ or	
US-5951639-\$).did. or	
(US-20020073398-\$).did.) and ((operating	
adj system) near8 (compatib\$6 or	
match\$5))	
	PAT; 2003/01/04
	-PGPUB 16:18
US-6158001-\$ or US-6141698-\$ or	10102 10.10
US-6035426-\$ or US-5940618-\$ or	
US-5815714-\$ or US-5938778-\$ or	
US-5815/14-\$ or US-5938//8-\$ or US-5771385-\$ or US-5675803-\$ or	
US-5619698-\$ or US-5581697-\$ or	
US-5533192-\$ or US-5526485-\$ or	
US-5450586-\$ or US-5394544-\$ or	
US-5335344-\$ or US-5274815-\$ or	
US-5121501-\$ or US-6430741-\$ or	
US-6351843-\$ or US-6263489-\$ or	
US-6219782-\$ or US-6164841-\$).did. or	
(US-6077311-\$ or US-6067639-\$ or	ļ
US-5701411-\$ or US-6289396-\$ or	
US-5953534-\$ or US-5548759-\$ or	
	ı
US-5951639-\$ or US-5815722-\$).did. or (US-20020073398-\$).did.	

		1/22 C100701 A VG C202405 A		<u> </u>
	6	((US-6490721-\$ or US-6393495-\$ or US-6334213-\$ or US-6282701-\$ or US-6158001-\$ or US-6141698-\$ or US-6035426-\$ or US-5940618-\$ or US-5815714-\$ or US-5938778-\$ or US-5771385-\$ or US-5675803-\$ or US-5619698-\$ or US-5581697-\$ or US-5533192-\$ or US-5526485-\$ or US-5335344-\$ or US-5335344-\$ or US-5274815-\$ or US-5121501-\$ or US-6430741-\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/04 17:44
-	413	US-6351843-\$ or US-6263489-\$ or US-6219782-\$ or US-6164841-\$).did. or (US-6077311-\$ or US-6067639-\$ or US-5701411-\$ or US-6289396-\$ or US-5953534-\$ or US-5548759-\$ or US-5951639-\$ or US-5815722-\$).did. or (US-20020073398-\$).did.) and ((operating adj system) near8 (compatib\$6 or match\$5)) ((incompatib\$5 or compatib\$6) near7	USPAT;	2003/01/04
		check\$4) and attribut\$3	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	17:54
	35	(US-6393495-\$ or US-6289396-\$ or US-6158001-\$ or US-5815714-\$ or US-5274815-\$ or US-6282701-\$ or US-5940618-\$ or US-5938778-\$ or US-5771385-\$ or US-5581697-\$ or US-5533192-\$ or US-5526485-\$ or US-5450586-\$ or US-5394544-\$ or US-5335344-\$ or US-6490721-\$ or US-6164841-\$ or US-6035426-\$ or US-6430741-\$ or US-6334213-\$ or US-6141698-\$ or US-5675803-\$ or US-5121501-\$ or US-6351843-\$).did. or (US-6263489-\$ or US-6219782-\$ or US-5815722-\$ or US-5701411-\$ or US-5953534-\$ or US-5548759-\$).did. or (US-20020073398-\$).did.	USPAT; US-PGPUB	2003/10/27 08:29
_	70	717/\$ and (compatib\$5 near6 check\$4) and ((program or application or software) same (updat\$4 or patch\$4 or debug\$4 or upgrad\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 08:38
-	8	((identif\$4 or determin\$4 or compar\$4 or retriev\$4 or find\$4) near4 (attribute or parameter or propert\$3)) and handler and (717/\$ and (compatib\$5 near6 check\$4) and ((program or application or software) same (updat\$4 or patch\$4 or debug\$4 or upgrad\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:52
-	7	(((identif\$4 or determin\$4 or compar\$4 or retriev\$4 or find\$4) near4 (attribute or parameter or propert\$3)) and handler and (717/\$ and (compatib\$5 near6 check\$4) and ((program or application or software) same (updat\$4 or patch\$4 or debug\$4 or upgrad\$4)))) and (@ad<=19990901 or @rlad<=19990901)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:53
-	40	<pre>((operating adj system) near7 compatib\$5) and ((software or application or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/27 08:57

-	14	(((operating adj system) near7 compatib\$5) and ((software or application	USPAT; US-PGPUB;	2003/10/27 08:53
		or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.) and (((identif\$4 or determin\$4 or compar\$4 or retriev\$4 or find\$4) near4 (attribute or parameter or propert\$3)))	EPO; JPO; DERWENT; IBM_TDB	
_	3	<pre>((((operating adj system) near7 compatib\$5) and ((software or application or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.) and (((identif\$4 or determin\$4 or compar\$4 or retriev\$4 or find\$4) near4 (attribute or parameter or propert\$3)))) and (@ad<=19990901 or @rlad<=19990901)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 09:21
_	21	(((operating adj system) near7 compatib\$5) and ((software or application or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.) and ((patch near4 handl\$4) or interrupt or (code adj insertion) or trampoline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:59
	11	<pre>((((operating adj system) near7 compatib\$5) and ((software or application or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.) and ((patch near4 handl\$4) or interrupt or (code adj insertion) or trampoline)) not ((((operating adj system) near7 compatib\$5) and ((software or application or program) near3 (patch\$4 or upgrad\$4 or debug\$4 or updat\$4)).ab.) and (((identif\$4 or determin\$4 or compar\$4 or retriev\$4 or find\$4) near4 (attribute or parameter or propert\$3)))) and (@ad<=19990901 or @rlad<=19990901)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27
-	8	(("6,289,391") or ("5,473,777") or ("6,484,309") or ("5,430,878")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/28 09:17
-	3	((("6,289,391") or ("5,473,777") or ("6,484,309") or ("5,430,878")).PN.) and (debugger or DLL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/28 12:08